



EUTELSAT APPROVED ANTENNAS

TSS – L. ROSSI – G. YATOU

November 2023

WHY THIS PRESENTATION?

- Most clients who want to transmit via our space segment do not know which terminal to use/buy.
- This presentation will help to share some guidance with your prospects/clients.
- Using this presentation as a benchmark of Eutelsat approved antennas will contribute to reduce the interferences we are often facing.
- **This presentation is split in several categories, according to the antenna type (transportable, fixed, maritime, interactive terminals, aircraft and flat) and to the service type (Generic or specific to KONNECT or ADVANCE). The Classification of the antenna (Type Approved or Characterized) is given on every page.**
- The complete list can be found online on www.eutelsat.com section “Support” → “Earth stations” → “Eutelsat Approved Equipment” (<https://www.eutelsat.com/en/support/earth-stations-documentation-equipment.html?#certified-equipment>).
- All the antennas are approved according to ESOG 120 (<https://www.eutelsat.com/files/contributed/satellites/pdf/esog120.pdf>), verifying the conformity to **EESS502 (or EESS503 for Interactive Terminals)**.
The EESS books gathers the Earth Station minimum technical and operational requirements to be approved “standard”
(<https://www.eutelsat.com/files/PDF/support/EESS-502.pdf> ; <https://www.eutelsat.com/files/PDF/support/EESS-503.pdf>).

IMPORTANT NOTE

We have a more comprehensive internal database with additional antennas which cannot be formally certified, so they are not in the public list BUT can be used in some circumstances and under specific operational conditions.

→ Please contact the Esapproval team for any additional information
esapproval@eutelsat.com

WEB LINKS TO THE DOCUMENTATION

Generic (whole Fleet):

1- Type Approvals - Generic

<https://www.eutelsat.com/files/contributed/satellites/pdf/typeapproval.pdf>

2- Characterizations - Generic

<https://www.eutelsat.com/files/PDF/support/Characterized-Antennas.pdf>

Dedicated to specific services:

3- Eutelsat Broadband Services (KONNECT & ADVANCE) -Type Approvals and Characterizations

https://www.eutelsat.com/files/contributed/support/pdf/Eutelsat_Broadband_Services.pdf

4- Eutelsat Interactive Services – Type Approvals and Characterizations

https://www.eutelsat.com/files/contributed/support/pdf/BOOK_IST_Services.pdf

Note: the antennas which are approved for Generic use, may be used in specific Broadband services as far the BUC and LNB would be adapted to KONNECT or ADVANCE modem.

SUMMARY

1. Transportable / Drive-Away

- a. Generic
- b. Broadband

2. Transportable / Fly-Away

- a. Generic
- b. Broadband

3. VSAT - Fixed antennas

- a. Generic
- b. Broadband

4. Maritime antennas

- a. Generic
- b. Broadband

5. Interactive Satellite Terminals

6. Aircraft antennas

7. Flat antennas

TRANSPORTABLE : *DRIVE-AWAY*

a) Generic antennas

TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

NAY-199K

- Manufacturer : Japan Radio Co, Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 36.5 dBi
- G/T : 11.5 dB/K
- HPA max : 80W
- Diameter : 0.59 m equivalent
- Characterized

TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

10Ku

- Manufacturer : ERA Technology Limited
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 42.8 dBi
- Diameter : 1 m
- Type Approved (EA-A005)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

10KuS

- Manufacturer : ERA Technology Limited
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.7 dBi
- Diameter : 1 m
- Type Approved (EA-A022)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

EXPLORER 8100 Ku

- Manufacturer : Thrane & Thrane A/S trading as COBHAM Satcom
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.4 dBi
- G/T : 19.4 dB/K
- HPA max : BUC 50W maximum
- Diameter : 1 m
- Characterized

END OF LIFE



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

Cobham EXPLORER 7100 MB KU

- Manufacturer : COBHAM
- Tx Frequency Band: 13.75 - 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 41.9 dBi
- G/T : 19.4 dB/K
- HPA max : 40W maximum
- Diameter : 1 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SkyRAY Compact 1500

SkyRAY Compact 1500 Plus

SkyRAY MAS 1500

- Manufacturer : ND SatCom GmbH
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 43.8 dBi
- G/T : 23.9 dB/K
- HPA max : 400W maximum
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

FlyDrive 120

- Manufacturer : Vislink Communications Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.1 dBi
- G/T : 17.7 dB/K
- HPA max : 400W maximum
- Diameter : 1.2 m
- Characterized

END OF LIFE




TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

12Ku Diamond

Approved with Cobham/Era reflector

- Manufacturer : CTS – Cobham Technical Services
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 44.0 dBi
- Diameter : 1.2 m
- Type Approved (EA-A017)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

C-COM iNetVu 1201 (2 ports feed)

- Manufacturer : C-COM Satellite Systems
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.8 dBi
- HPA max : 40W
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SVS SDC120

- Manufacturer : SVS SATELLITE SYSTEMS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.6 dBi
- G/T : 22.0 dB/K
- HPA max : 400W
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

D120M

- Manufacturer : PROSAT SOLUTIONS GmbH
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.6 dBi
- G/T : 22.0 dB/K
- HPA max : 400W
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

EXPLORER 8120

- Manufacturer : Thrane & Thrane A/S trading as COBHAM Satcom
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.9 dBi
- G/T : 20.8 dB/K
- HPA max : BUC 50W maximum
- Diameter : 1.2 m
- Characterized

END OF LIFE



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SMP 125 DA

- Manufacturer : Satmission AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 44.0 dBi
- G/T : 20.7 dB/K
- HPA max : 400W
- Diameter : 1.20m H x 1.25m V
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

ERA 15Ku(S)

- Manufacturer : ERA Technology Limited
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 46 dBi
- Diameter : 1.5 m
- Type Approved (EA-A004)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SVS SDC150

- Manufacturer : SVS SATELLITE SYSTEMS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 45.5 dBi
- G/T : 22.6 dB/K
- HPA max : 400W
- Diameter : 1.5 m
- Characterized




TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

1.5 – meter SMK-LT

- Manufacturer : Vertex RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 45.7 dBi
- Diameter : 1.5 m
- Type Approved (EA-A016)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

FlyDrive 150

- Manufacturer : Vislink Communications Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 45.6 dBi
- HPA max : 400W maximum
- Diameter : 1.5 m
- Characterized

END OF LIFE



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

RM150

- Manufacturer : Holkirk Communications Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 45.0 dBi
- G/T : 21.5 dB/K
- HPA max : 400W maximum
- Diameter : 1.5 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

D150M

- Manufacturer : PROSAT SOLUTIONS GmbH
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 45.5 dBi
- G/T : 22.6 dB/K
- HPA max : 400W
- Diameter : 1.5 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SkyRAY MAS 1900

- Manufacturer : NDSwed
- SatCom GmbH/Cobham
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 45.4 dBi
- HPA max : 750W maximum
- Diameter : 1.5 m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

PDA 150 Drive News

- Manufacturer : PALS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.9 dBi
- G/T : 23 dB/K
- HPA max : 400W
- Diameter : 1.5m x 1.35m
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

SMP 155 DA

- Manufacturer : Satmission AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 45.1 dBi
- G/T : 22.6 dB/K @ 19.7 GHz
- HPA max : 400W
- Diameter : 1.54m H x 1.39m V
- Characterized



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

2.4 DMK

- Manufacturer : Vertex RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 49 dBi
- Diameter : 2.4 m
- Type Approved (EA-A006)



TRANSPORTABLE - GENERIC

Drive-away antennas / DSNG

2.4 SMK-LT

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 49.1 dBi
- Diameter : 2.4 m
- Type Approved (EA-A032)



TRANSPORTABLE : *DRIVE-AWAY*

b) Broadband antennas

TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

IPCopter with ViaSat Surfbeam 2

- Manufacturer : IPCopter GmbH & Co. KG
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.2 dBi
- HPA max : 4W maximum
- Diameter : 0.72m equivalent (0.75H X 0.72Vm)
- Type Approved (EB-004)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

MVA75 VSAT with Viasat eTRIA

- Manufacturer : Neta Elektronik San.Tic.A.
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.5 dBi
- G/T : 17.7 dB/K
- HPA max : 3W maximum
- Diameter : 0.74 m
- Characterized (EB-054)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

75MP1201832 with Feed Model using e-Tria 3W

- Manufacturer : Vislink Technologies
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 45.3 dBi
- G/T : 17.5 dB/K
- HPA max : 3W maximum
- Diameter : 0.75 m
- Characterized (EB-055)

END OF LIFE



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

Drive away Skyhook II

- Manufacturer : IPCopter GmbH & Co. KG
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 44.2 dBi
- G/T : 18.34 dB/K
- HPA max : 3W maximum
- Diameter : 0.75 m
- Type Approved (EB-034)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

MA-Ma-74G-3 Axis

- Manufacturer : C-COM Satellite Systems Inc
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 17.70 – 20.20 GHz
- Tx Gain : 44.9 dBi
- G/T : 18.4 dB/K
- HPA max : 4W maximum
- Diameter : 0.75 m
- Characterized (EB-DOP-CCO-075-587)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

C-COM iNetVu Ka-75V – Etria auto-deploy system with Viasat Surfbeam 2

- Manufacturer : C-COM Satellite Systems Inc
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 44.1 dBi
- G/T : 18.1 dB/K @ 19.95 GHz
- HPA max : 4W maximum
- Diameter : 0.75m H x 0.72m V, equivalent to 0.75m
- Weight : 52 kg
- Type Approved (EB-049)



TRANSPORTABLE - BR

Drive-away antennas / DSNG

C-COM iNetVu Ka-75V auto-deploy system with ViaSat Surfbeam 2

- Manufacturer : C-COM Satellite Systems Inc.
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.3 dBi
- G/T : 16.8 dB/K
- HPA max : BUC 4W maximum
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-007)




TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

PALS PKM-77Ka auto-deploy system with Viasat Surfbeam 2

- Manufacturer : PALS Electronics Co Ltd
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.1 dBi
- G/T : 17.5 dB/K
- HPA max : BUC 4W maximum
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-012)




TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

SVS AKS250 with ViaSat Surfbeam 2

- Manufacturer : SVS SATELLITE SYSTEMS
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.0 dBi
- G/T : 17.2 dB/K
- HPA max : BUC maximum rating 4W
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-014)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

Drive Away IPCopter with ViaSat Surfbeam 2

- Manufacturer : IPCopter GmbH & Co. KG
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 43.1 dBi
- G/T : 17.2 dB/K
- HPA max : BUC maximum rating 4W
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-013)

No available picture

TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

GC-Zero 70 KA-SAT auto-deploy system with ViaSat Surfbeam 2

- Manufacturer : Dawson (as part of DawCom Ltd)
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 43.4 dBi
- G/T : 17.1 dB/K
- HPA max : BUC maximum 3W & maximum output power 2W
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-009)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

AVL 880KVH with integrated Viasat TRIA

- Manufacturer : AVL Technologies
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 45.9 dBi
- G/T : 19.8 dB/K
- HPA max : BUC maximum rating 3W and maximum output power 2W
- Diameter : 0.85 m
- Type Approved (EB-010)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

ND Satcom Ka2GO With integrated ViaSat TRIA

- Manufacturer : ND Satcom GmbH
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 45.8 dBi
- G/T : 19.9 dB/K
- HPA max : BUC 4W maximum
- Diameter : 0.89 m
- Type Approved (EB-019)



FIXED ANTENNAS - GENERIC

90 EMIT 0141095

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.2 dBi
- G/T : 18.4 dB/K
- HPA max : 2W
- Diameter : 0.9 m
- Type Approved (EA-V043)

No available picture

TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

C-COM iNetVu Ka-98V

auto-deploy system with Skyware Global Type 980 SI antenna

- Manufacturer : C-COM Satellite Systems Inc
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 46.5 dBi
- G/T : 19.4 dB/K
- HPA max : BUC 4W maximum
- Diameter : 0.98 m
- Type Approved (EB-022)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

AVL 1080KVH with integrated Viasat TRIA

- Manufacturer : AVL Technologies
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 46.9 dBi
- G/T : 21.2 dB/K
- HPA max : BUC maximum rating 3W and maximum output power 2W
- Diameter : 1 m
- Type Approved (EB-011)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

AKD V10A with ViaSat E TRIA or with ViaSat E TRIA professional

- Manufacturer : AKD Communication Technology Co
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 47.3 dBi
- G/T : 21.4 dB/K
- HPA max : 4W maximum
- Diameter : 0.98 m
- Characterized (EB-046)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

SISLive DriveForce 100 with integrated ViaSat TRIA

- Manufacturer : SISLive
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 47.4 dBi
- G/T : 20.37 dB/K
- HPA max : 4W maximum
- Diameter : 1 m
- Type Approved (EB-023)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

Cobham EXPLORER 7100 MB KASAT
with integrated ViaSat TRIA

- Manufacturer : COBHAM
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 46.9 dBi
- G/T : 21.2 dB/K
- HPA max : BUC maximum 3W & maximum output power 2W
- Diameter : 1 m
- Type Approved (EB-015)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

EXPLORER 8100 Ka With ViaSat E TRIA

- Manufacturer : Thrane & Thrane A/S trading as COBHAM Satcom
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.30 GHz
- Tx Gain : 47.7 dBi
- G/T : 22.2 dB/K
- HPA max : BUC 4W maximum
- Diameter : 1 m
- Type Approved (EB-028)



TRANSPORTABLE - BROADBAND

Drive-away antennas / DSNG

SMP 125 DA SML 125 DA

- Manufacturer : Satmission AB
- Tx Frequency Band: 29.25 – 30.00 GHz
- Rx Frequency Band : 19.20 - 20.20 GHz
- Tx Gain : 48.9 dBi
- G/T : 23.3 dB/K @ 19.7 GHz
- Diameter : 1.2 m
- Type Approved (EB-042)



TRANSPORTABLES : *FLY-AWAY*

a) Generic antennas

TRANSPORTABLE - GENERIC

Fly-away antennas

PICO75

- Manufacturer : ReQuTech AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 37.9 dBi
- G/T : 19.0 dB/K
- HPA max : 50W
- Diameter : 0.75 m
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

LightAway

- Manufacturer : EVERSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 38.6 dBi
- HPA max : 200W maximum
- Diameter : 0.8 m
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

11026001 EL980X700

- Manufacturer : TELE System Electronic
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.0 dBi
- G/T : 20.0 dB/K
- HPA max : 2W maximum
- Diameter : 0.83 m
- Type Approved (EA-V052)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

CCT90 SUITCASE

- Manufacturer : Datapath
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.2 dBi
- G/T : 18.4 dB/K
- HPA max : SSPA 35W maximum
- Diameter : 0.9m x 0.66m
- Type Approved (EA-V042)



**CCT90
Suitcase®**

TRANSPORTABLE - GENERIC

Fly-away antennas

G90 Tx/Rx

- Manufacturer : Raven Manufacturing
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 38.2 dBi
- G/T : 22.7 dB/K
- HPA max : 2W maximum
- Diameter : 0.89 x 0,80 m
- Type Approved (EA-V045)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

90 EMIT

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.2 dBi
- HPA max : 2W maximum
- Diameter : 0.9 m
- Type Approved (EA-V044)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

1985

- Manufacturer : Raven Manufacturing
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 41.1 dBi
- G/T : 17.2 dB/K
- HPA max : 1W
- Diameter : 0.98 m
- Type Approved (EA-V046)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

Cobham EXPLORER 6100

- Manufacturer : THRANE & THRANE A/S
- Tx Frequency Band: 13.75 - 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 41.6 dBi
- G/T : 19.5 dB/K
- HPA max : 50W maximum
- Diameter : 1 m
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

1 m SFK-LT

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 42.1 dBi
- Diameter : 1 m
- Type Approved (EA-A030)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

120 DR 0141126

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.7 dBi
- G/T : 20.8 dB/K
- HPA max : 4W maximum
- Diameter : 1.2 m
- Type Approved (EA-V053)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

CCT 120-4

CCT 120-1

- Manufacturer : Datapath
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 41.9 dBi
- G/T : 21.5 dB/K
- HPA max : BUC 50W maximum
- Diameter : 0.83 x 1.2 m
- Type Approved (EA-V057)



TRANSPORTABLE - GENERIC

Fly-away antennas

Prodelin 1135

- Manufacturer : GD Satcom
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 43.0 dBi
- G/T : 19.0 dB/K
- HPA max : 1W maximum
- Diameter : 1.2 m
- Type Approved (EA-V047)



Series 1135

TRANSPORTABLE - GENERIC

Fly-away antennas

PICO120

- Manufacturer : ReQuTech AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.7 dBi
- G/T : 22.8 dB/K
- HPA max : 50W
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

DEK120F/2P/100-2

- Manufacturer : ACTIA Telecom
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.7 dBi
- G/T : 20.3 dB/K
- HPA max : 100W
- Diameter : 1.2 x 1.2 m
- Characterized

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

TP120 Fly Away antenna

- Manufacturer : Holkirk Communication Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.5 dBi
- G/T : 21 dB/K
- Diameter : 1.2 m
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

Newswift 120 CF

- Manufacturer : VISLINK International Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 43.4 dBi
- HPA max : 400W maximum
- Diameter : 1.2 m
- Type Approved (EA-A011)

END OF LIFE



TRANSPORTABLE - GENERIC

Fly-away antennas

DST150

- Manufacturer : Vislink Communications Ltd
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 45 dBi
- HPA max : 400W maximum
- Diameter : 1.5 m
- Type Approved (EA-A001)

END OF LIFE



TRANSPORTABLE - GENERIC

Fly-away antennas

Newsift 150 CF

- Manufacturer : VISLINK International Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 45.3 dBi
- HPA max : 400W maximum
- Diameter : 1.5 m
- Type Approved (EA-A012)

END OF LIFE



TRANSPORTABLE - GENERIC

Fly-away antennas

MFT 1500

- Manufacturer : NDS Satcom AG
- Tx Frequency Band: 12.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 45.8 dBi
- G/T : 22.4 dB/K
- Diameter : 1.5 m
- Type Approved (TA-FLY-NDS-150-712)



TRANSPORTABLE - GENERIC

Fly-away antennas

Newsift 180 CF

- Manufacturer : VISLINK International Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 46.4 dBi
- HPA max : 750W maximum
- Diameter : 1.8 m
- Characterized

END OF LIFE



TRANSPORTABLE - GENERIC

Fly-away antennas

CCT200 Fly-Away

- Manufacturer : DataPath International AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 46.0 dBi
- G/T : 23.6 dB/K
- HPA max : 400W
- Diameter : 2.0m H x 1.6m V
- Characterized



TRANSPORTABLE - GENERIC

Fly-away antennas

Mantis 2.4m C-band

- Manufacturer : Vislink Communications Ltd
- Tx Frequency Band: 5.85 – 6.425 GHz
- Rx Frequency Band : 3.60 – 4.20 GHz
- Tx Gain : 41.3 dBi
- G/T : 17.0 dB/K
- HPA max : 750W
- Diameter : 2.4 m
- Characterized

END OF LIFE

TRANSPORTABLE - GENERIC

Fly-away antennas

Mantis 2.4m Ku-band

- Manufacturer : Vislink Communications Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 48.5 dBi
- G/T : 25.4 dB/K
- HPA max : 750W
- Diameter : 2.4 m
- Characterized

END OF LIFE



TRANSPORTABLE - GENERIC

Fly-away antennas

2.4 SMC-LT

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 5.850 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.20 GHz
- Tx Gain : 42.1 dBi
- Diameter : 2.4 m
- Type Approved (EA-A031)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

2.4 SFK-1575I (2 ports feed)

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 48.9 dBi
- Diameter : 2.4 m
- Characterized

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

2.4 SFC-2712C (2 ports feed)

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 5.850 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.20 GHz
- Tx Gain : 41.9 dBi
- Diameter : 2.4 m
- Characterized

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

2.4 SMC-LT (4 ports feed)

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 5.850 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.20 GHz
- Tx Gain : 41.7 dBi
- Diameter : 2.4 m
- Type Approved (EA-A036)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

2.4 SMK-LT (4 ports feed)

- Manufacturer : VERTEX RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 48.9 dBi
- Diameter : 2.4 m
- Type Approved (EA-A037)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

Paradigm AnaSat Ku 1600

- Manufacturer : Paradigm (UK)
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 49.2 dBi
- HPA max : from 2W, 4W, 8W to 16W maximum
- Diameter : 2.4 m
- Type Approved (EA-V032)

No available picture

TRANSPORTABLE - GENERIC

Fly-away antennas

2.4m dual optics Ku-band

(62-2445202)

- Manufacturer : Skyware Global
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 49.2 dBi
- G/T : 21.5 dB/K
- HPA max : 16W maximum
- Diameter : 2.4 m
- Type Approved (EA-V062)

END OF LIFE

TRANSPORTABLES : *FLY-AWAY*

b) Broadband antennas

TRANSPORTABLE - BROADBAND

Fly-away antennas

FastiPTM 77cm

with ViaSat Surfbeam 2

- Manufacturer : OPENSAT
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.2 dBi
- HPA max : BUC 4W maximum
- Diameter : 0.75m H X 0.72m V
- Characterized (EB-005)




TRANSPORTABLE - BROADBAND

Fly-away antennas

10KaS Diamond

Approved with Cobham/Era reflector

- Manufacturer : Cobham CTS – Cobham Technical Services
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 47.5 dBi
- HPA max : BUC maximum 3W & maximum output power 2W
- Diameter : 1 m
- Type Approved (EB-006)



TRANSPORTABLE - BROADBAND

Fly-away antennas

TracStar LVC750P8

- Manufacturer : COBHAM
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 43.6 dBi
- HPA max : 4W maximum
- Diameter : 0.75 m
- Type Approved (EB-008)



TRANSPORTABLE - BROADBAND

Fly-away antennas

C-COM Fly-75V with ViaSat Surfbeam 2

- Manufacturer : C-COM Satellite Systems Inc.
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.6 dBi
- G/T : 17.5 dB/K
- HPA max : 4W maximum
- Diameter : 0.75m H x 0.72m V
- Type Approved (EB-017)



TRANSPORTABLE - BROADBAND

Fly-away antennas

AVL 0614 with integrated ViaSat TRIA, E-TRIA or P-TRIA

- Manufacturer : AVL Technologies
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 41.9 dBi
- G/T : 16.26 dB/K
- HPA max : 4W maximum
- Diameter : 0.6 m
- Type Approved (EB-024)



TRANSPORTABLE - BROADBAND

Fly-away antennas

SIS ManPak 100T
with integrated ViaSat TRIA

- Manufacturer : SISLive
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 46.9 dBi
- G/T : 20.36 dB/K
- HPA max : BUC 4W maximum
- Diameter : 1 m
- Type Approved (EB-025)



TRANSPORTABLE - BROADBAND

Fly-away antennas

GV-A0XX-6200-00

with Feed Model: 07-0705-4007

- Manufacturer : Satcube AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 32.0 dBi
- G/T : 8.8 dB/K
- HPA max : BUC 8W maximum
- Diameter : 0.38m equivalent
- Characterized (EB-053)



FIXED ANTENNAS

a) Generic antennas

FIXED ANTENNAS - GENERIC

75 Rx/Tx ANT

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 39 dBi
- Diameter : 0.75 m
- Weight : 7 kg
- Type Approved (EA-A019)



FIXED ANTENNAS - GENERIC

75 Rx/Tx ANT 0141054

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 39 dBi
- G/T : 17.0 dB/K
- HPA max : 2W
- Diameter : 0.75 m
- Type Approved (EA-V040)

No available picture

FIXED ANTENNAS - GENERIC

OA1600B

- Manufacturer : TSAT A.S.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.4 dBi
- G/T : 19.6 dB/K
- HPA max : 2W SSPA
- Diameter : 0.9 m
- Type Approved (EA-V013)

No available picture

FIXED ANTENNAS - GENERIC

90 DR 0141044

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.1 dBi
- G/T : 18.2 dB/K
- HPA max : 2W
- Diameter : 0.9 m
- Type Approved (EA-V041)

No available picture

FIXED ANTENNAS - GENERIC

OA1600C

- Manufacturer : TSAT A.S.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.4 dBi
- G/T : 22.1 dB/K
- HPA max : 2W SSPA
- Diameter : 1.2 m
- Type Approved (EA-V014)

No available picture

FIXED ANTENNAS - GENERIC

1.2 m RXTx Type 125 Class I

- Manufacturer : Skyware Global
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 43.5 dBi
- G/T : 21.3 dB/K
- HPA max : BUC 16W maximum
- Diameter : 1.2 m
- Type Approved (EA-V055)

No available picture

FIXED ANTENNAS - GENERIC

Prodelin 1244

- Manufacturer : GD Satcom
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 49.2 dBi
- HPA max : from 2W, 4W, 8W to 16W maximum
- Diameter : 2.4 m
- Type Approved



FIXED ANTENNAS - GENERIC

ESA24K-1

- Manufacturer : Kratos Antenna Solutions Corporation (previously ASC Signal)
- Tx Frequency Band: 12.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 48.5 dBi
- Diameter : 2.4 m
- Type Approved (EA-A003)

END OF LIFE

FIXED ANTENNAS - GENERIC

2.4 DPK

- Manufacturer : Vertex RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 48.7 dBi
- Diameter : 2.4 m
- Type Approved (EA-A007)

No available picture

FIXED ANTENNAS ? - GENERIC

DESNET 2000 - 24

- Manufacturer : Selex Communications
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 49.2 dBi
- G/T : 27.0 dB/K
- HPA max : 16W
- Diameter : 2.4 m
- Type Approved (EA-V036)

No available picture

FIXED ANTENNAS - GENERIC

ES37(MPJ)K

- Manufacturer : Kratos Antenna Solutions Corporation (previously ASC Signal)
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 53 dBi
- Diameter : 3.7 m
- Type Approved (EA-A002)



FIXED ANTENNAS - GENERIC

3.80 Meter VXK / 3.80 Meter PMK
(2 ports feed system)

- Manufacturer : GENERAL DYNAMICS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 53.2 dBi
- Diameter : 3.8 m
- Weight : 311 kg
- Type Approved (EA-A015)



FIXED ANTENNAS - GENERIC

3.80 Meter VXK / 3.80 Meter PMK
(4 ports feed system)

- Manufacturer : GENERAL DYNAMICS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 53.2 dBi
- Diameter : 3.8 m
- Weight : 311 kg
- Type Approved (EA-A039)



FIXED ANTENNAS - GENERIC

3.80 Meter VXK / 3.80 Meter PMK
(4 ports DBS feed system)

- Manufacturer : GENERAL DYNAMICS
- Tx Frequency Band: 17.30 – 18.40 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 54.4 dBi
- G/T : 30.6 dB/K
- Diameter : 3.8 m
- Weight : 311 kg
- Characterized



FIXED ANTENNAS - GENERIC

4.8m KPK

- Manufacturer : Vertex RSI
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 55 dBi
- Diameter : 4.8 m
- Type Approved (EA-A023)



FIXED ANTENNAS - GENERIC

825-2020-001

- Manufacturer : Page Europa
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 55.4 dBi
- Diameter : 4.8 m
- Type Approved (EA-A018)



FIXED ANTENNAS - GENERIC

4.8m KPC

- Manufacturer : Vertex RSI
- Tx Frequency Band: 5.850 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.2 GHz
- Tx Gain : 47.8 dBi
- Diameter : 4.8 m
- Type Approved (EA-A024)



FIXED ANTENNAS - GENERIC

Type 965 Class I

- Manufacturer : Skyware Global
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.2 dBi
- HPA max : 16W maximum
- Diameter : 0.96 m
- Type Approved (EA-V061)



FIXED ANTENNAS - GENERIC

Type 988 Class I With Cielo Transceiver

- Manufacturer : Skyware Global
- Tx Frequency Band: 28.30 – 30.00 GHz
- Rx Frequency Band : 18.30 – 20.20 GHz
- Tx Gain : 47.6 dBi
- G/T : 22.1 dB/K
- HPA max : 3W maximum
- Diameter : 0.98 m
- Type Approved (EA-V064)



FIXED ANTENNAS - GENERIC

Type 185 Class III With Mode Matched Compensated Feed

- Manufacturer : Skyware Global
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 46.7 dBi
- G/T : 25.2 dB/K
- HPA max : 16W maximum
- Diameter : 1.8 m
- Type Approved (EA-V065)



FIXED ANTENNAS - GENERIC

2.4m single optics Ku-Band Type 245 Class III Ku Band (compensated 2 port feed)

- Manufacturer : Skyware Global
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 49.2 dBi
- G/T : 27.7 dB/K
- HPA max : 16W maximum
- Diameter : 2.4 m
- Type Approved (EA-V066)



FIXED ANTENNAS

b) Broadband antennas

FIXED ANTENNAS – BROADBAND

ViaSat Surfbeam 2

- Manufacturer : ViaSat, Inc
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44.2 dBi
- G/T : 17.2 dB/K
- HPA max : maximum rating 3W and maximum output power 2W
- Diameter : 0.75m H X 0.72m V
- Type Approved (EB-002)



FIXED ANTENNAS – BROADBAND

ViaSat Surfbeam 2

72 cm consumer User Terminal

- Manufacturer : ViaSat, Inc
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 45.2 dBi
- G/T : 17.8 dB/K
- HPA max : maximum rating 3W and maximum output power 2W
- Diameter : 0.75m H X 0.72m V
- Type Approved (EB-016)



FIXED ANTENNAS - BROADBAND

Skyware Global Type 980 SI

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 46.3 dBi
- G/T : 19.4 dB/K
- HPA max : 4W maximum
- Diameter : 0.99m H x 0.93m V
- Type Approved (EB-020)

END OF LIFE



FIXED ANTENNAS – BROADBAND

0 141 162 (2 ports feed)

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 40.1 dBi
- HPA max : maximum rating 3W and maximum output power 2W
- Diameter : 0.9m X 0.99m
- Characterized (EB-001)

No available picture

FIXED ANTENNAS - BROADBAND

NEWTEC IP Easy ANT 2025

- Manufacturer : NEWTEC Cy N.V.
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.3 dBi
- G/T : 18.9 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.077H x 1.00 V m
- Type Approved (EB-018)



FIXED ANTENNAS – BROADBAND

ViaSat Tooway Professional 1.2 m
With Integrated ViaSat eTRIA


- Manufacturer : ViaSat Inc
- Tx Frequency Band: 29.50 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 49.9 dBi
- G/T : 23.6 dB/K
- HPA max : 4W maximum
- Diameter : 1.2 m
- Type Approved (EB-021)



FIXED ANTENNAS – BROADBAND

Model 74 cm Ka band Jupiter1


- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 45.4 dBi
- G/T : 19.7 dB/K
- HPA max : 1W
- Diameter : 0.91m H x 0.66m V equivalent
0.74m
- Type Approved (EB-030)



FIXED ANTENNAS – BROADBAND

Gilat AT2364

- Manufacturer : Gilat satellite networks Ltd
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 45.5 dBi
- G/T : 19.8 dB/K
- HPA max : 4W maximum
- Diameter : 0.88m H x 0.66 m V, equivalent to 0.76m
- Type Approved (EB-031)



Top pole version of AZ/EL mount




FIXED ANTENNAS – BROADBAND

Gilat ref : AT 2011

Sky. Gl. ref.: 62-9886111

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 47.9 dBi
- G/T : 22.02 dB/K
- HPA max : 4W maximum
- Diameter : 0.98 m
- Type Approved (EB-032)



FIXED ANTENNAS – BROADBAND

Gilat ref.: AT 2015 Top pole, AT 2364 Mid Pole
Sky. Gl. ref.: 62-1276111

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 49.5 dBi
- G/T : 27 dB/K
- HPA max : 2.5W maximum
- Diameter : 1.2 m
- Type Approved (EB-033)



FIXED ANTENNAS – BROADBAND

Model 74 cm Ka band with ViaSat E TRIA

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 44.4 dBi
- G/T : 18.6 dB/K
- HPA max : 4W maximum
- Diameter : 0.91m H x 0.66m V equivalent 0.74m
- Type Approved (EB-035)



FIXED ANTENNAS – BROADBAND

Model 74 cm Ka band with Hughes Jupiter 2

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 44.0 dBi
- G/T : 18.8 dB/K
- HPA max : 2.5W maximum
- Diameter : 0.91m H X 0.66m V equivalent 0.74 m
- Type Approved (EB-041)



FIXED ANTENNAS – BROADBAND

Model 0.98 m Ka band with ViaSat E TRIA


- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 46.1 dBi
- G/T : 20.4 dB/K
- HPA max : 4W maximum
- Diameter : 0.98 m
- Type Approved (EB-037)



FIXED ANTENNAS – BROADBAND

Model 127cm Ka band with ViaSat E TRIA


- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 48.9 dBi
- G/T : 22.8 dB/K at 19.70 GHz
- HPA max : 4W maximum
- Diameter : 1.2m
- Weight :
- Type Approved (EB-038)



FIXED ANTENNAS – BROADBAND

Model 127 cm Ka band with Hughes Jupiter 1


- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 48.9 dBi
- G/T : 23.12 dB/K at 19.70 GHz
- HPA max : 1W maximum
- Diameter : 1.2m
- Weight :
- Type Approved (EB-039)



FIXED ANTENNAS – BROADBAND

Model 127 cm Ka band with Hughes Jupiter 2

- Manufacturer : Skyware Global
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.20 – 20.20 GHz
- Tx Gain : 48.3 dBi
- G/T : 22.5 dB/K at 19.70 GHz
- HPA max : 2.5W maximum
- Diameter : 1.2m
- Weight :
- Type Approved (EB-040)



FIXED ANTENNAS – BROADBAND

SKY74XRF

- Manufacturer : Skyware Technologies
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 17.80 – 20.20 GHz
- Tx Gain : 45.11 dBi
- G/T : 19.6 dB/K @ 19.00 GHz
- HPA max : 4W maximum
- Diameter : 0.74m
- Type Approved (EB-043)



FIXED ANTENNAS – BROADBAND

ViaSat order n° 12011831 / 12011832

PBI SN 6000081 for ViaSat mechanical TRIA

- Manufacturer : ProBrand International Inc
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 44.1 dBi
- G/T : 18.4 dB/K @ 19.95 GHz
- HPA max : 3W maximum
- Diameter : 0.74m
- Type Approved (EB-044)

No available picture

FIXED ANTENNAS – BROADBAND

ViaSat order n° 12011831 / 12011832

PBI SN 6000071 for ViaSat mechanical TRIA

- Manufacturer : ProBrand International Inc
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 19.70 – 20.20 GHz
- Tx Gain : 44.6 dBi
- G/T : 19.1 dB/K @ 19.95 GHz
- HPA max : 3W maximum
- Diameter : 0.74m
- Type Approved (EB-045)



FIXED ANTENNAS – BROADBAND

IP Easy

Azure Shine Technology GV-75XX-5900-00
with Azur Shine feed-OMT7

- Manufacturer : Azure Shine Technology
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 39.8 dBi
- G/T : 17.5 dB/K @ 11.70 GHz
- HPA max : BUC 4W maximum
- Diameter : 0.75m x 0.78m (equivalent to 0.75m)
- Type Approved (EB-047)



FIXED ANTENNAS – BROADBAND

Konnect

GV-75XX-5900-00

with feed Model GA-0103-12G0

- Manufacturer : Azure Shine Technology
- Tx Frequency Band: 29.00 – 30.00 GHz
- Rx Frequency Band : 17.80 – 20.20 GHz
- Tx Gain : 45.9 dBi
- G/T : 19.4 dB/K
- HPA max : BUC 3W maximum
- Diameter : 0.75m x 0.78m (equivalent to 0.75m)
- Type Approved (EB-048)



FIXED ANTENNAS – BROADBAND

IP Easy

GV-A0XX-6200-00

with OMT Feed Model: 07-0705-4007

- Manufacturer : Azure Shine Technology
- Tx Frequency Band: 12.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.50 GHz
- Tx Gain : 41.3 dBi
- G/T : 18.2 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1 m
- Type Approved (EB-050)



FIXED ANTENNAS – BROADBAND

Konnect

Global Skyware 90 cm antenna equipped with HNS Jupiter 2 transceiver

- Manufacturer : Global Skyware
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 17.70 - 20.20 GHz
- Tx Gain : 45.3 dBi
- G/T : 19.7 dB/K
- HPA max :
- Diameter : 0.9 m
- Type Approved (EB-057)



MARITIME ANTENNAS

a) Generic antennas

MARITIME ANTENNAS - GENERIC

TracPhone V3

- Manufacturer : KVH Industries, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 11.70 – 12.75 GHz
- Tx Gain : 33.2 dBi
- HPA max : BUC 3W maximum
- Diameter : 0.37 m
- Weight : 11.3 kg
- Characterized



MARITIME ANTENNAS - GENERIC

V60

- Manufacturer : Intellian Technologies, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 38.1 dBi
- HPA max : BUC 8W maximum
- Diameter : 0.60 m
- Weight : 59.5 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

KVH-60 cm TV6

- Manufacturer : KVH Industries, Inc.
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 11.70 – 12.75 GHz
- Tx Gain : 36.6 dBi
- Diameter : 0.60 m
- Weight : 24.2 kg
- Characterized



MARITIME ANTENNAS - GENERIC

Supertrack Z6Mk2

- Manufacturer : KNS Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 36.4 dBi
- HPA max : BUC 16W maximum
- Diameter : 0.60 m
- Weight : 43 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

Seatel 2406

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 37.2 dBi
- Diameter : 0.60 m
- Weight : 113 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

COBHAM USAT24

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 37 dBi
- Diameter : 0.60 m
- Weight : 45 kg
- Characterized



MARITIME ANTENNAS - GENERIC

MVA60

- Manufacturer : MITSUBISHI ELECTRIC CORPORATION
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 37.3 dBi
- G/T : 15 dB/K
- HPA max : BUC 8W maximum
- Diameter : 0.62 m
- Type Approved (EA-V060)

No available picture

MARITIME ANTENNAS - GENERIC

COBHAM Sailor 600 Ku

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 37.6 dBi
- G/T : 15.9 dB/K
- HPA max : BUC 6W maximum
- Diameter : 0.65 m
- Weight : 125 kg (radome included)
- Characterized

No available picture

MARITIME ANTENNAS - GENERIC

Navisystem MST 75

- Manufacturer : NAVISYSTEM
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 36 dBi
- Diameter : 0.70 m
- Weight : 38 kg
- Characterized



MARITIME ANTENNAS - GENERIC

Seatel 3011W

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.8 dBi
- G/T : 16.7 dB/K
- HPA max : BUC 4W, 8W, 16W, 20W & 40W maximum
- Diameter : 0.75 m
- Weight : 82 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

MAC ISA 75

- Manufacturer : MICRO ADVANCED COMMUNICATIONS S.R.L.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 36.5 dBi
- Diameter : 0.75 m
- Characterized

No available picture

MARITIME ANTENNAS - GENERIC

CommSat80

- Manufacturer : SITEP Italia Spa
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 38.1 dBi
- Diameter : 0.80 m
- Characterized

No available picture

MARITIME ANTENNAS - GENERIC

Navisystem 85

- Manufacturer : NAVISYSTEM
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 37.8 dBi
- Diameter : 0.81 m
- Characterized

No available picture

MARITIME ANTENNAS - GENERIC

V80G

- Manufacturer : Intellian Technologies, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 39.5 dBi
- G/T : 16 dB/K
- HPA max : BUC 8W maximum
- Diameter : 0.83 m
- Weight : 90.4 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

COBHAM Sailor 800 VSAT

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 40.0 dBi
- G/T : 18.2 dB/K
- HPA max : BUC 6W maximum
- Diameter : 0.83 m
- Weight : 125 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

B85

- Manufacturer : JOTRON AS
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 40.33 dBi
- G/T : 16.2 dB/K
- HPA max : BUC 8W maximum
- Diameter : 0.85 m
- Weight : 89 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

Supertrack Z8

- Manufacturer : KNS Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 38.3 dBi
- Diameter : 0.85 m
- Weight : 87 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

Seatel 3612

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.6 dBi
- G/T : 18.1 dB/K
- HPA max : BUC 4W, 8W, 16W & 40W maximum
- Diameter : 0.90 m
- Weight : 132 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

0.9m DSi9-Ku Pro

- Manufacturer : EPAK GmbH
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 39 dBi
- G/T : 17.0 dB/K
- Diameter : 0.90 m
- Weight : 75 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

Navisystem MST 95

- Manufacturer : NAVISYSTEM
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 39.3 dBi
- Diameter : 0.95m
- Weight : 48 kg
- Characterized



MARITIME ANTENNAS - GENERIC

Ku Mate

- Manufacturer : MITSUBISHI ELECTRIC CORPORATION
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.9 dBi
- G/T : 18.4 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1 m
- Type Approved (EA-V056)



MARITIME ANTENNAS - GENERIC

Seatel 4006

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 40.6 dBi
- Diameter : 1 m
- Weight : 136 kg (radome included)
- Characterized

END OF LIFE



MARITIME ANTENNAS - GENERIC

Seatel 4009

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 40.6 dBi
- Diameter : 1 m
- Weight : 147 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

V100

- Manufacturer : Intellian Technologies, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.6 dBi
- G/T : 19.6 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.03 m
- Weight : 128 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

COBHAM Sailor 900 Ku

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 - 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 40 dBi
- G/T : 18.3 dB/K
- Diameter : 1.03 m
- Characterized (EB-056)



MARITIME ANTENNAS - GENERIC

SAILOR 900 VSAT 407009B-00500 and
407009E-00500 (Ku)

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 41.1 dBi
- G/T : 19.9 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.03 m
- Weight : 126 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

COBHAM Sailor 900 VSAT w/ BUC 407009A-00500

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 - 12.75 GHz
- Tx Gain : 41.9 dBi
- G/T : 19.9 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.05 m
- Characterized

No available picture

MARITIME ANTENNAS - GENERIC

V100NX

- Manufacturer : Intellian Technologies, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.6 dBi
- G/T : 20.04 dB/K
- HPA max : BUC 25W maximum
- Diameter : 1.05 m
- Weight : 113 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

V110

- Manufacturer : Intellian Technologies, Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 12.50 – 12.75 GHz
- Tx Gain : 41.7 dBi
- HPA max : BUC 8W maximum
- Diameter : 1.05 m
- Weight : 139.5 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

ORBIT OrSat AL-7103-Ku Mk II

- Manufacturer : ORBIT Communication Systems Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.95 – 12.75 GHz
- Tx Gain : 42.3 dBi
- HPA max : BUC from 4W, 8W, 16W to 20W maximum
- Diameter : 1.15 m
- Type Approved (EA-A033)



MARITIME ANTENNAS - GENERIC

ORBIT OceanTRx4-500 (Ku)

- Manufacturer : ORBIT Communication Systems Ltd
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.9 dBi
- G/T : 19.4 dB/K
- HPA max : BUC 8W, 16W, 25W and 40W maximum
- Diameter : 1.15 m
- Weight : 215 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

SX 5410 Ku Mate

- Manufacturer : MITSUBISHI ELECTRIC CORPORATION
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 41.9 dBi
- G/T : 20.5 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.2 m
- Type Approved (EA-V059)

No available picture

MARITIME ANTENNAS - GENERIC

1.2m Ku II

- Manufacturer : C2SAT communications AB
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.2 dBi
- G/T : 19.4 dB/K
- HPA max : BUC 8W maximum
- Diameter : 1.2 m
- Characterized



MARITIME ANTENNAS - GENERIC

5009 StdM Mk2

- Manufacturer : Cobham SATCOM, Sea Tel Products
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.4 dBi
- G/T : 19.3 dB/K
- HPA max : BUC from 4W, 8W, 16W to 40W maximum
- Diameter : 1.2 m
- Weight : 158 kg (radome included)
- Type Approved (EA-V058)



MARITIME ANTENNAS - GENERIC

Seatel 6012

- Manufacturer : Cobham SATCOM, Sea Tel Products
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 44.3 dBi
- G/T : 21.9 dB/K
- HPA max : BUC from 4W, 8W, 16W to 40W maximum
- Diameter : 1.5 m
- Weight : 158 kg (radome included)
- Characterized



MARITIME ANTENNAS - GENERIC

ORBIT OceanTRx7-C

- Manufacturer : ORBIT Communication Systems Ltd
- Tx Frequency Band: 5.850 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.2 GHz
- Tx Gain : 39.2 dBi
- G/T : 16.5 dB/K
- HPA max : BUC 8W, 16W, 25W, 40W and 50W maximum
- Diameter : 201cm V x 220cm H
- Weight : 590 kg (radome included)



MARITIME ANTENNAS - GENERIC

ORBIT AL-7107

- Manufacturer : ORBIT Communication Systems Ltd
- Tx Frequency Band: 5.85 – 6.425 GHz
- Rx Frequency Band : 3.625 – 4.20 GHz
- Tx Gain : 38.3 dBi
- G/T : 17.9 dB/K
- HPA max : BUC 40W maximum
- Diameter : 201x220 cm
- Characterized

No available picture


MARITIME ANTENNAS

b) Broadband antennas

MARITIME ANTENNAS - BROADBAND

COBHAM Sailor 600 Ka equipped with Viasat PTRIA

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 43.0 dBi
- G/T : 15.6 dB/K
- HPA max : BUC 2W maximum
- Diameter : 0.65 m
- Characterized (EB-051)



MARITIME ANTENNAS - BROADBAND

COBHAM USAT30 Ka with Integrated ViaSat TRIA

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 43.9 dBi
- G/T : 16.7 dB/K
- HPA max : BUC 2W maximum
- Diameter : 0.75 m
- Weight : 60 kg
- Characterized (EB-029)



MARITIME ANTENNAS - BROADBAND

Skytech BB75KA 470NM-001-KA075-E1
with Integrated ViaSat mTRIA

- Manufacturer : Skytech Italia SRL
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 44 dBi
- G/T : 17.0 dB/K
- HPA max : BUC 2W maximum
- Diameter : 0.75 m – without radome
- Characterized (EB-026)



MARITIME ANTENNAS - BROADBAND

COBHAM Sailor 900 Ka equipped with Viasat PTRIA

- Manufacturer : COBHAM Satcom, Sea Tel
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 19.70 - 20.20 GHz
- Tx Gain : 47.1 dBi
- G/T : 19.7 dB/K
- HPA max : BUC 2W maximum
- Diameter : 1.03 m
- Characterized (EB-052)



INTERACTIVE SATELLITE TERMINALS

INTERACTIVE SERVICES

Fuba 60 cm w/ feedhorn Azure Shine & Smart LNB EGATEL 2.5

- Manufacturer : TELE SYSTEM DIGITAL SRL
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 37.2 dBi
- G/T : 16 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.60 m
- Characterized (EI-003)

No available picture

INTERACTIVE SERVICES

Fuba 80 w/ feedhorn Azure Shine & Smart LNB EGATEL 2.5

- Manufacturer : TELE SYSTEM DIGITAL SRL
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.6 dBi
- G/T : 16 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.72 m
- Weight : 7.95 kg
- Characterized (EI-004)



INTERACTIVE SERVICES

Emme Esse 74 cm w/ Smart LNB EGATEL 2.5

- Manufacturer : EMME ESSE SpA
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.2 dBi
- G/T : 16.8 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.74m H x 0.80m V
- Characterized (EI-005)



INTERACTIVE SERVICES

Sinuta 72SA w/ Smart LNB AYECKA

- Manufacturer : SINUTA
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.9 dBi
- G/T : 16.6 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.75m H x 0.80m V
- Characterized (EI-006)



INTERACTIVE SERVICES

Sinuta VF075SMART01S w/ Smart LNB EGATEL 2.5

- Manufacturer : SINUTA
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.8 dBi
- G/T : 16.8 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.75m H x 0.80m V
- Characterized (EI-002)



INTERACTIVE SERVICES

90 DR

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 40.1 dBi
- Diameter : 0.9 m
- Type Approved (EA-A025)

No available picture

INTERACTIVE SERVICES

Winegard DS-7401 w/ Smart LNB EGATEL 2.5

- Manufacturer : Egatel
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 38.25 dBi
- G/T : 16.7 dB/K
- HPA max : Smart LNB 1W
- Diameter : 0.91m H x 0.63m V
- Characterized (EI-001)

No available picture

INTERACTIVE SERVICES

GV-A0XX-6200-00 with Feed Model: 07-0705-4007, plus OMT v 3.0 from Egatel

- Manufacturer : Azure Shine International Inc.
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.50 GHz
- Tx Gain : 41.7 dBi
- G/T : 13.5 dB/K
- HPA max : Smart LNB 1W
- Diameter : 1 m
- Characterized (EI-007)

No available picture

INTERACTIVE SERVICES

120 DR

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.7 dBi
- HPA max : BUC 3W maximum
- Diameter : 1.2 m
- Type Approved (EA-A028)

No available picture

INTERACTIVE SERVICES

120 EMIT

- Manufacturer : MAEC-VISIOSAT
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 42.8 dBi
- HPA max : BUC 3W maximum
- Diameter : 1.2 m
- Type Approved (EA-A029)

No available picture

AIRCRAFT ANTENNAS

AIRCRAFT ANTENNAS

ViaSat VR-18C (Ku)

- Manufacturer : ViaSat Inc
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : GHz
- Tx Gain : dBi
- G/T : 11.6 dB/K
- Diameter : 0.44 m
- Weight : 12 kg
- Characterized



AIRCRAFT ANTENNAS

D-ATKS Ku band Satcom 37cm antenna (Ku)

- Manufacturer : IPR – Italiana Ponti Radio SRL
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.75 GHz
- Tx Gain : 31.4dBi
- G/T : 10.0 dB/K
- Diameter : 0.37 m
- HPA max : BUC 60W maximum
- Characterized



AIRCRAFT ANTENNAS

ViaSat VR-12 (Ka)

- Manufacturer : ViaSat Inc
- Tx Frequency Band: 29.50 - 31.00 GHz
- Rx Frequency Band : 19.70 – 21.20 GHz
- G/T : 10.2 dB/K
- Diameter : ? m
- Weight : 12 kg
- Characterized



AIRCRAFT ANTENNAS

G-12 airborne antenna

With CPI radome

- Manufacturer : ViaSat Inc
- Tx Frequency Band: 29.50 - 30.00 GHz
- Rx Frequency Band : 19.70 – 21.20 GHz
- Tx Gain : 35 dBi
- G/T : 9 dB/K
- HPA max : 20W maximum
- Diameter : 0.3 m

No available picture

FLAT ANTENNAS

FLAT ANTENNAS

Kymeta u7 mTenna

- Manufacturer : Kymeta Corp
- Tx Frequency Band: 13.75 – 14.50 GHz
- Rx Frequency Band : 11.20 – 12.50 GHz
- Tx Gain : 32.5 dBi
- G/T : 9.5 dB/K
- Diameter : 0.7 m
- Weight : 6.35 kg

NON-STANDARD



FLAT ANTENNAS

Kymeta u8 mTenna
with CBM-400 modem

- Manufacturer : Kymeta Corp
- Tx Frequency Band: 14.00 – 14.50 GHz
- Rx Frequency Band : 10.70 – 12.50 GHz
- Tx Gain : 29.4 – 33.9 dBi
- G/T : 7.0 – 11.5 dB/K
- Diameter : 0.8 m
- Weight : 23.5 kg

NON-STANDARD

